Available online at www.sciencedirect.com
ScienceDirect
ELSEVIER
Nuclear Physics A 790 (2007) xiii–xxiv
NUCLEAR PHYSICS A

CONTENTS

List of committees vii

Conference photo ix

Preface xi

PLENARY SESSIONS

Two and three nucleon forces
M.R. Robilotta 3c

Theory and phenomenology of hadrons
M.S. Bhagwat, A. Höll, A. Krassnigg and C.D. Roberts 10c

The theory of nuclear forces: Is the never-ending story coming to an end?
R. Machleidt 17c

Electromagnetic reactions of few-body systems with the Lorentz integral transform method
W. Leidemann 24c

Relativistic aspects of few-body physics
F. Gross 30c

Nuclear effective field theory with pions
U. van Kolck 39c

Bound and scattering states with non-local potentials
M. Viviani, L. Girlanda, A. Kievsky, L.E. Marcucci and S. Rosati 46c

Treatment of the Coulomb interaction in three-nucleon reactions
A. Deltuva, A.C. Fonseca and P.U. Sauer 52c

Determination of the gluon contribution to the nucleon spin with COMPASS
S. Platchkov 58c

Some recent few-body activities at Tunl
W. Tornow, J.H. Esterline and G.J. Weisel 64c

Study of three-nucleon systems at KVI
N. Kalantar-Nayestanaki 69c

0375-9474/2007 Published by Elsevier B.V.
doi:10.1016/S0375-9474(07)00543-X

Physics with the $\overline{P}$ANDA detector at FAIR
K-Th. Brinkmann for the $\overline{P}$ANDA Collaboration 75c

The Qweak experiment – A search for physics and the TeV scale
W.T.H. Van Oers for the Qweak Collaboration 81c

Pairing of a trapped Fermi gas with unequal spin populations
W. Li, G.B. Partridge, Y.A. Liao and R.G. Hulet 88c

Resonances in three-body systems with short and long-range interactions
E. Garrido, D.V. Fedorov and A.S. Jensen 96c

Few-body effects in cold atoms and limit cycles
H.-W. Hammer 103c

Strangeness in the proton and $N^*(1535)$
B.S. Zou 110c

Scales of critically stable few-body halo systems
T. Frederico and M.T. Yamashita 116c

Experimental status of three-nucleon force study by nucleon–deuteron system
H. Sakai 122c

Modern theory of nuclear forces: Status and perspectives
U.-G. Meißner 129c

Flavor content of nucleon form factors in the space- and time-like region
R. Bijker 136c

Overview of $\overline{K}$-nuclear quasi-bound states
A. Gal 143c

Properties of halo nuclei from atomic isotope shifts
G.W.F. Drake and Z.-C. Yan 151c

The study of hypernuclei with heavy ion beams at GSI
T. Fukuda and T. Saito for HypHI Collaboration 161c

Two-body photodisintegration of ^{3}He, ^{4}He, and ^{2}He up to 1.5 GeV
B.L. Berman for the CLAS Collaboration 167c

Progress in the calculation and experimental determination of the strangeness contributions to nucleon form factors
A.W. Thomas and R.D. Young 173c

Vijay Pandharipande: Correlations in many-body systems
I. Sick 185c

Vijay Pandharipande and few-body physics
J. Carlson 191c

Few-body research – Summary
I. Šlaus 199c

PARALLEL SESSIONS

SESSION 1. HADRON DYNAMICS, LIGHT NUCLEI, ELECTROWEAK INTERACTION

Dynamics of macroscopic and microscopic three-body systems
Y. Suzuki, Y. Fujiwara, W. Horiuchi, H. Matsumura and M. Orabi 223c

A meson-exchange πN model up to scattering energies $\sqrt{s} \leq 2.0$ GeV
S.N. Yang, G.Y. Chen and S.S. Kamalov 229c

Experimental state of n–n correlation function for Borromean halo nuclei investigation
M. Petrascu, A. Constantinescu, I. Cruceru, M. Duma, M. Giurgiu, A. Isbasescu, H. Petrascu, S. Serban, V. Stoica, C. Bordeanu, I. Tanihata, W.G. Lynch, M.A. Famiano and K. Ieki 235c

An analytic approach to constructing effective local interactions in few-body systems and its application to N^4He, N^3H, N^3He, and $^3He^4He$ scattering
L.D. Blokhintsev, A.N. Safronov and A.A. Safronov 241c

Ab initio calculation of two, three, and four body dynamics
M. Tomaselli, T. Kühl and D. Ursescu 246c

Particle-unstable and weakly-bound light nuclei with a Sturmian approach that preserves the Pauli principle
L. Canton, K. Amos, S. Karataglidis, G. Pisent, J.P. Svenne and D. van der Knijff 251c

Efimov effect in 2n–core halo nuclei and appearance of resonant states in n–^{19}C scattering
V.S. Bhasin 257c

Three-body elastic and inelastic scattering at intermediate energies
H. Liu, Ch. Elster and W. Glöckle 262c

Pion photoproduction in an isobar consistent model
A. Mariano 267c

Four-nucleon scattering: A new numerical approach
A. Deltuva and A.C. Fonseca 272c

The Coulomb scattering in momentum space for few-body systems
S. Nishinohara, S. Chiba and S. Oryu 277c

Scheme for an accurate solution of Faddeev integral equations in configuration space
W. Glöckle and G. Rawitscher 282c

Faddeev calculation for neutron-rich nuclei
E. Uzu, M. Yamaguchi, H. Kamada and Y. Koike 286c

Three-body cluster state in ^{11}B
T. Kawabata, H. Akimune, H. Fujita, Y. Fujita, M. Fujiwara, K. Hara, K. Hatanaka, M. Itoh, Y. Kanada-En'yo, S. Kishi, K. Nakanishi, H. Sakaguchi, Y. Shimbara, A. Tamii, S. Terashima, M. Uchida, T. Wakasa, Y. Yasuda, H.P. Yoshida and M. Yosoi 290c

On the process of Coulomb dissociation of weakly bound relativistic nuclei and hypernuclei
V.L. Lyuboshitz and V.V. Lyuboshitz 294c

Nucleon–nucleon momentum correlation function for light nuclei
Y.G. Ma, X.Z. Cai, J.G. Chen, D.Q. Fang, W. Guo, G.H. Liu, C.W. Ma, E.J. Ma, W.Q. Shen, Y. Shi, Q.M. Su, W.D. Tian, H.W. Wang, K. Wang, Y.B. Wei and T.Z. Yan 299c

Study of weakly bound nuclei with an extended cluster-orbital shell model
H. Masui, K. Katō and K. Ikdea 303c

A systematic analysis of cluster components in He-isotopes by using a new AMD approach
S. Aoyama, N. Itagaki and M. Oi 307c

Properties of the tensor correlation in neutron halo nuclei
T. Myo, K. Katō, H. Tok and K. Ikeda 311c

Two pion exchange in proton–proton scattering
W.R. Gibbs and B. Loiseau 315c

The production of ω mesons in $pd \to {}^3He\omega$ near the kinematic threshold
K. Schönning for the CELSIUS/WASA Collaboration 319c

Hadronic absorption cross sections of B_c
M.A.K. Lodhi and R. Marshall 323c

Precision studies on strong interaction in pionic hydrogen
J. Marton 328c

Mesonic correlation functions at finite temperature in the NJL model
R.L.S. Farias, G. Dallabona, G. Krein and O.A. Battistel 332c

Meson exchange currents in pion double charge exchange reaction
R.Ya. Kezerashvili 336c

$N\overline{N}$ quasibound states: J/ψ decay and $\overline{p}$-atomic evidences
D.R. Entem and F. Fernández 340c

Study of the Coulomb effect in the photodisintegration of ^{3}He
A. Deltuva, A.C. Fonseca and P.U. Sauer 344c

Discrepancy in pd breakup reaction at $E_p = 13$ MeV
K. Sagara, M. Tomiyama, S. Shimomoto, T. Ishida, T. Kudoh, S. Kuroita, T. Morikawa, M. Shiota, H. Ohira, H. Kamada and H. Witała 348c

Few body system and parity violation in ChPT
C.M. Maekawa 352c

Few body calculation of neutrino neutral inelastic scattering on ^{4}He
D. Gazit and N. Barnea 356c

Inclusive electron scattering off ^{4}He
S. Bacca, H. Arenhövel, N. Barnea, W. Leidemann and G. Orlandini 360c

Generalized parton distributions of few body systems
S. Scopetta 364c

Test of J-matrix inverse scattering potentials on photonuclear reactions of $A = 2,3,4$ nuclei
G. Orlandini, S. Bacca, N. Barnea and W. Leidemann 368c

Benchmark calculation of inclusive responses in the four-body nuclear system
S. Quaglioni, I. Stetcu, S. Bacca, B.R. Barrett, C.W. Johnson, P. Navrátil, N. Barnea, W. Leidemann and G. Orlandini 372c

SESSION 2. NUCLEAR FORCES, EFFECTIVE FIELD THEORY, MESON–BARYON SYSTEMS

Chiral expansion, renormalization and the nuclear force
E.R. Arriola and M.P. Valderrama 379c

Two-pion exchange NN potential from Lorentz-invariant χEFT
R. Higa, M.R. Robilotta and C.A. da Rocha 384c

Short-range three-nucleon forces effects on nucleon–deuteron scattering
S. Ishikawa 389c

Effective range corrections in few-body systems with large scattering length
L. Platter 394c

Low-momentum nucleon–nucleon potential and its separability
H. Kamada, S. Fujii, E. Uzu, M. Yamaguchi, R. Okamoto and Y. Koike 398c

Strong interactions in pionium
Y. Yan, P. Suebka, C. Kobdaj and K. Khosonthongkee 402c

Subtractive renormalization of the next-to-leading order NN interaction
V.S. Timóteo, T. Frederico, A. Delfino and L. Tomio 406c

Two body scattering length of Yukawa model on a lattice
F. De Soto, J. Carbonell, C. Roiesnel, Ph. Boucaud, J.P. Leroy and O. Pène 410c

Lattice study of πK scattering length
J. Nagata, A. Nakamura and S. Muroya 414c

Power counting for nuclear effective field theory and Wilsonian renormalization group
K. Harada 418c

Renormalization group analysis of nuclear force
S.X. Nakamura 422c

Study of three-nucleon force effects in $\vec{p} + d$ break-up with BINA
H. Mardanpour, H.R. Amir-Ahmadi, R. Benard, A. Biegun, M. Eslami-Kalantari, N. Kalantar-Nayestanaki, M. Kiš, St. Kistryn, A. Kozela, H. Kuboki, Y. Maeda, M. Mahjour-Shafiei, J.G. Messchendorp, K. Miki, S. Noji, A. Ramazani, H. Sakai, M. Sasano, K. Sekiguchi, E. Stephan, R. Sworst, Y. Takahashi and K. Yako 426c

Measurements of the $\vec{n}d$ scattering at 250 MeV and three-nucleon forces
Y. Maeda, H. Sakai, K. Fujita, M. Hatano, J. Kamiya, T. Kawabata, H. Kuboki, K. Hatanaka, H. Okamura, T. Saito, Y. Sakemi, M. Sasano, K. Sekiguchi, Y. Shimizu, K. Suda, Y. Tameshige, A. Tamii, T. Wakasa, K. Yako, M.B. Greenfield, H. Kamada and H. Witała 430c

Proton–deuteron radiative capture at intermediate energies
J.G. Messchendorp 434c

Study of the $^3He - \eta$ system in $d - p$ collisions
J. Smyrski, H.-H. Adam, A. Budzanowski, E. Czerwiński, R. Czyżykiewicz, D. Gil, D. Grzonka, M. Janusz, L. Jarczyk, B. Kamys, A. Khoukaz, P. Klaja, P. Moskal, W. Oelert, C. Piskor-Ignatowicz, J. Przerwa, J. Ritman, T. Rożek, T. Sefzick, M. Siemaszko, A. Täschner, P. Winter, M. Wolke, P. Wüstner and W. Zipper 438c

Measurement of the $^2H(d,pn)$ reaction at 0 degrees at 270 MeV
K. Miki, H. Sakai, K. Itoh, K. Kawabata, H. Kuboki, Y. Maeda, S. Noji, S. Sakaguchi, N. Sakamoto, Y. Sasamoto, M. Sasano, Y. Satou, K. Sekiguchi, K. Suda, Y. Takahashi, T. Uesaka and K. Yako 442c

Tensor analyzing powers of pd radiative capture at $E_{\vec{d}} = 137$ MeV
Y. Tameshige, K. Sagara, T. Kudoh, M. Shiota, S. Shimomoto, T. Wakasa, K. Hatanaka, A. Tamii, Y. Sakemi, Y. Shimizu, H.P. Yoshida, H. Kamada and H. Witała 446c

Study of spin parts of three nucleon forces via $\vec{d}p$ breakup reactions at intermediate energies
K. Sekiguchi, H. Sakai, N. Sakamoto, H. Kuboki, M. Sasano, Y. Takahashi, K. Yako, T. Kawabata, Y. Maeda, S. Sakaguchi, Y. Sasamoto, K. Suda, T. Uesaka, H. Okamura, K. Itoh and T. Wakasa 450c

SESSION 3. HADRON STRUCTURE, QCD, NUCLEAR ASTROPHYSICS

Meson-exchange description of hadronic systems: Recent developments
J. Haidenbauer 457c

Dynamics of multiquark systems: Mass, width and exotics
M. Oka 462c

Nuclear astrophysics with unstable nuclei
C.A. Bertulani 467c

Strong and weak interactions in $B \to \pi^+\pi^- K$ decays
B. Loiseau, B. El-Bennich, A. Furman, R. Kamiński and L. Leśniak 472c

0^+ and 1^+ heavy mesons in heavy chiral unitary approach
P.N. Shen, F.K. Guo, H.C. Chiang and B.S. Zou 477c

Hadronic corrections to muon anomalous magnetic moment within the instanton liquid model
A.E. Dorokhov 481c

Exploring the spin structure of the proton with two-body partonic scattering at RHIC
J. Sowinski for the STAR Collaboration 485c

Excited baryon decays in $1/N_c$ expansion of QCD
J.L. Goity and N.N. Scoccola 489c

Color confinement multi quark resonance
F. Wang, J.L. Ping, H.R. Pang and L.Z. Chen 493c

Photoproduction of cascade baryon
Y. Oh, H. Haberzettl and K. Nakayama 498c

X(3872): A $q\bar{q}$-$c\bar{c}$ molecule with attractive diquarks
S. Takeuchi, V.E. Lyubovitskij, Th. Gutsche and A. Faessler 502c

Multiquark structures in heavy-light meson systems
J. Vijande, A. Valcarce and F. Fernández 506c

Scalar meson properties from D-meson decays
B. El-Bennich, O.M.A. Leitner, B. Loiseau and J.-P. Dedonder 510c

The low Q^2 behavior of the extended Gerasimov–Drell–Hearn sum rule
T. Averett on behalf of the Jefferson Lab Hall A Collaboration 514c

$N^*(1440)$ decays in a hybrid baryon model
K. Khosonthongkee, N. Supanam, Y. Yan, Th. Gutsche and A. Faessler 518c

Nucleon flavor asymmetry in a statistical quark model
L.A. Trevisan, C. Mirez, L. Tomio and T. Frederico 522c

Testing the nature of the $D_{sJ}^+(2317)$ and X(3782) states using QCD sum rules
M. Nielsen, R.D. Matheus, F.S. Navarra and M.E. Bracco 526c

A pentaquark model for $\Lambda(1405)$
T. Inoue 530c

Decay width of the $\Theta^+(1540)$ in 5-quark dynamical calculation
H. Matsumura and Y. Suzuki 534c

κ loops and the nucleon strangeness
F. Carvalho, F.S. Navarra and M. Nielsen 538c

Hyperspherical harmonic study of identical-flavor four-quark systems
J. Vijande, N. Barnea and A. Valcarce 542c

Di-antiquarks condensation in color superconductivity
F.L. Braghin 546c

Symmetry patterns in the (N, Δ) spectrum
P. González, J. Vijande, A. Valcarce and H. Garcilazo 550c

Possibilities for charged Higgs bosons at the LHC in a $SU(3)_L \otimes U(1)_N$ model
J.E.C. Montalvo, J.S. Borges, M.D. Tonasse and N.V. Cortez Jr. 554c

The QCD phase diagram and the gamma-ray bursts
D.P. Menezes, D.B. Melrose, C. Providência and K. Wu 558c

Color superconductivity and quark stars
M. Malheiro, L.P. Linares, M. Fiolhais and A. Taurines 562c

Instantons, monopoles, vortices, and the Faddeev–Popov operator eigenspectrum
A. Maas 566c

SESSION 4. RELATIVISTIC MODELS, LIGHT FRONT DYNAMICS, FIELD THEORY

Singularities in the light-front Yukawa model
B.L.G. Bakker, J.K. Boomsma and C.-R. Ji 573c

Properties of few-body systems in relativistic quantum mechanics and constraints from transformations under Poincaré space-time translations
B. Desplanques 578c

New developments in treacherous points of light-front dynamics
C.-R. Ji, B.L.G. Bakker and H.-M. Choi 583c

Quasideuteron pairing in asymmetric nuclear matter
B. Funke Haas, B.V. Carlson and T. Frederico 588c

Baryon structure in the global color symmetry model of QCD
B. Wang and Y.-x. Liu 593c

Bethe–Salpeter equation with cross-ladder kernel in Minkowski and Euclidean spaces
V.A. Karmanov, J. Carbonell and M. Mangin-Brinet 598c

Clothed particle representation in quantum field theory: Mass renormalization
V.Yu. Korda and A.V. Shebeko 602c

Timelike and spacelike hadron form factors, Fock state components and light-front dynamics
E. Pace, G. Salmè, T. Frederico, S. Pisano and J.P.B.C. de Melo 606c

Electromagnetic structure and weak decay of meson K in a light-front QCD-inspired model
F.P. Pereira, J.P.B.C. de Melo, T. Frederico and L. Tomio 610c

Determination of the propagator in QED_3 by spectral function
Y. Hoshino 614c

Soliton propagation in relativistic hydrodynamics
D.A. Fogaça and F.S. Navarra 619c

Unified treatment of electroproduction for all vector mesons
H.G. Dosch and E. Ferreira 623c

Relativistic quark matter in light front field theory
S. Strauss, M. Beyer, S. Mattiello and T. Frederico 627c

A model for the quantum vacuum
S. Joffily 631c

Influence of Lorentz violation on the hydrogen spectrum
M.M. Ferreira Jr and F.M.O. Moucherek 635c

SESSION 5. HYPERNUCLEAR PHYSICS, KAONIC SYSTEMS, COMPUTATIONAL METHODS

Λ nuclear physics
B.F. Gibson 641c

Few-body aspects of hypernuclear physics
E. Hiyama, Y. Yamamoto, Th.A. Rijken and T. Motoba 646c

Hypernuclear studies at FAIR with $\bar{\text{P}}$*ANDA*
A. Feliciello on behalf of the $\bar{\text{P}}$ANDA Collaboration 651c

Global minimization in few-body systems
C. Voglis, I.E. Lagaris, M.L. Lekala, G.J. Rampho and S.A. Sofianos 655c

Search for a $K^- pp$ *bound state*
N.V. Shevchenko, J. Mareš and A. Gal 659c

Precision spectroscopy of kaonic helium $3d \to 2p$ *X-rays*
S. Okada, G. Beer, H. Bhang, M. Cargnelli, J. Chiba, S. Choi, C. Curceanu, Y. Fukuda, T. Hanaki, R.S. Hayano, M. Iio, T. Ishikawa, S. Ishimoto, T. Ishiwatari, K. Itahashi, M. Iwasaki, B. Juhász, P. Kienle, J. Marton, Y. Matsuda, H. Ohnishi, H. Outa, M. Sato, P. Schmid, S. Suzuki, T. Suzuki, H. Tatsuno, D. Tomono, E. Widmann, T. Yamazaki, H. Yim and J. Zmeskal 663c

Experimental studies on kaonic atoms at DAΦ*NE*
J. Zmeskal, M. Bazzi, G. Beer, L. Bombelli, A.M. Bragadirean, M. Cargnelli, M. Catitti, C. Curceanu (Petrascu), C. Fiorini, T. Frizzi, F. Ghio, B. Girolami, C. Guaraldo, M. Iliescu, C. Curceanu (Petrascu), T. Ishiwatari, P. Kienle, P. Lechner, P. Levi Sandri, V. Lucherini, A. Longoni, J. Marton, D. Pietreanu, T. Ponta, D.L. Sirghi, F. Sirghi, H. Soltau, L. Strüder and E. Widmann 667c

Measurement of the $\gamma n(p) \to K^+\Sigma^-(p)$ *at Jefferson Lab*
S. Anefalos Pereira 671c

Final state interactions in D meson decays
A. Reis for the Fermilab E791 Collaboration 675c

The HKS experiment on Λ*-hypernuclear spectroscopy via electroproduction at JLab*
L. Tang, L. Yuan, E01-011 Collaboration: A. Acha, A. Ahmidouch, D. Androic, A. Asaturyan, R. Asaturyan, O.K. Baker, P. Baturin, F. Benmokhtar, P. Bosted, R. Carlini, X. Chen, M. Christy, L. Cole, S. Danagoulian, A. Daniel, V. Dharmawardane, K. Egiyan, M. Elaasar, R. Ent, H. Fenker, Y. Fujii, M. Furic, L. Gan, D. Gaskell, A. Gasparian, Ed.F. Gibson, P. Gueye, R. Halkyard, O. Hashimoto, D. Honda, T. Horn, B. Hu, S. Hu, Ed.V. Hungerford, M. Ispiryan, K. Johnston, M. Jones, N. Kalantarians, M. Kaneta, F. Kato, S. Kato, D. Kawama, C. Kepple, Y. Li, W. Luo, D. Mack, A. Margaryan, G. Marikyan, N. Maruyama, A. Matsumura, T. Miyoshi, A. Mkrtchyan, H. Mkrtchyan, S.N. Nakamura, T. Navasardyan, G. Niculescu, M.-I. Niculescu, H. Nomura, K. Nonaka, A. Ohtani, Y. Okayasu, P. Pamela, N. Perez, T. Petkovic, S. Randeniya, J. Reinhold, R. Rivera, J. Roche, V.M. Rodriguez, Y. Sato, T. Seva, N. Simicevic, G. Smith, M. Sumihama, Y. Song, V. Tadevosyan, T. Takahashi, H. Tamura, V. Tvaskis, W. Vulcan, B. Wang, S. Wells, S. Wood, C. Yan and S. Zamkochian 679c

The hypernucleus ${}^{5}_{\Lambda}$*He in a two frequency model*
Y. Tzeng, S.Y. Tsay Tzeng and T.T.S. Kuo 683c

Few-cluster solutions of many-fermion problem
I.A. Gnilozub, S.D. Kurgalin and Yu.M. Tchuvil'sky 687c

Relaxation method for A-body systems
G.J. Rampho, M.L. Lekala, S.A. Sofianos and R.M. Adam 691c

Low-lying resonances of ${}^{9}_{\Lambda}$Be: Faddeev calculation with Padé-approximants
I. Filikhin, V.M. Suslov and B. Vlahovic 695c

A study of neutron–deuteron scattering in configuration space
V.M. Suslov, M.A. Braun, I.N. Filikhin and B. Vlahovic 699c

SESSION 6. ATOMIC–MOLECULAR SYSTEMS, ULTRACOLD GASES

Generating persistent currents states of atoms using orbital angular momentum of photons
K. Helmerson, M.F. Andersen, C. Ryu, P. Cladé, V. Natarajan, A. Vaziri and W.D. Phillips 705c

Three-body recombination in atoms with large scattering length
E. Braaten 713c

Mixtures of fermionic atoms in an optical lattice
K. Ziegler 718c

Eigenvalues of the one-body density matrix for correlated condensates
A.S. Jensen, T. Kjærgaard, M. Thøgersen and D.V. Fedorov 723c

Modeling few-body phenomena in an ultracold Rydberg gas
M. Reetz-Lamour, T. Amthor, S. Westermann, J. Denskat, A.L. de Oliveira and M. Weidemüller 728c

Quantum statistical measurements of an atom laser beam
M.K. Olsen, A.S. Bradley, S.A. Haine and J.J. Hope 733c

Symmetry breaking in scalar, spinor, and rotating Bose–Einstein condensates
H. Saito, Y. Kawaguchi and M. Ueda 737c

Ultracold three-body collisions and the role of the Efimov effect
B.D. Esry and J.P. D'Incao 742c

Efimov states of fermionic species
J.H. Macek 747c

Ultracold scattering processes in three-atomic helium systems
E.A. Kolganova, A.K. Motovilov and W. Sandhas 752c

Formation, detection and trapping of ultracold Rb_2 molecules
C. Gabbanini 757c

Trapping cold polar molecules on chips
N.P. Bigelow, D. Vigil, M. Tscherneck, J. Kleinert and C. Haimberger 762c

Interatomic-potential inversion from ultracold Bose-gas collision
B. Apagyi, W. Scheid, O. Melchert and D. Schumayer 767c

Generation of oblique dark solitons in supersonic flow of Bose–Einstein condensate past an obstacle
G.A. El, A. Gammal and A.M. Kamchatnov 771c

Ramsey-like fringes observation during excitation of coherent modes in a Bose–Einstein condensate
E.R.F. Ramos, L. Sanz, V.I. Yukalov and V.S. Bagnato 776c

Doorway states and the Bose–Hubbard model
A.N. Salgueiro, C.-Y. Lin, A.F.R. de Toledo Piza and M. Weidemüller 780c

Helium atom in a box: A fully quantal solution
D.M. Mitnik 784c

Triatomic states in ultracold gases
M.T. Yamashita, T. Frederico and L. Tomio 788c

New possible approach to the treatment of three charged particles
V.B. Belyaev and I.I. Shlyk 792c

The Ar_3 molecular system
S.A. Sofianos, M.L. Lekala, G.J. Rampho and V.A. Roudnev 796c

Global thermodynamic variables description for a confined cold gas undergoing Bose–Einstein condensation
E.A.L. Henn, G.B. Seco, J.A. Seman, K.M.F. Magalhães, V. Romero-Rochín and V.S. Bagnato 800c

Ground states and resonance states of Ps^- and He interacting with screened Coulomb (Yukawa) potentials
S. Kar and Y.K. Ho 804c

Author index 808c

Available online at www.sciencedirect.com
ScienceDirect
ELSEVIER
Nuclear Physics A 790 (2007) 808c–821c
NUCLEAR PHYSICS A

Author index

Acha, A., see Tang, L. **A790** (2007) 679c
Adam, H.-H., see Smyrski, J. **A790** (2007) 438c
Adam, R.M., see Rampho, G.J. **A790** (2007) 691c
Ahmidouch, A., see Tang, L. **A790** (2007) 679c
Akimune, H., see Kawabata, T. **A790** (2007) 290c
Amir-Ahmadi, H.R., see Mardanpour, H. **A790** (2007) 426c
Amos, K., see Canton, L. **A790** (2007) 251c
Amthor, T., see Reetz-Lamour, M. **A790** (2007) 728c
Andersen, M.F., see Helmerson, K. **A790** (2007) 705c
Androic, D., see Tang, L. **A790** (2007) 679c
Anefalos Pereira, S., Measurement of the $\gamma n(p) \to K^+\Sigma^-(p)$ at Jefferson Lab **A790** (2007) 671c
Aoyama, S., N. Itagaki and M. Oi, A systematic analysis of cluster components in He-isotopes by using a new AMD approach **A790** (2007) 307c
Apagyi, B., W. Scheid, O. Melchert and D. Schumayer, Interatomic-potential inversion from ultracold Bose-gas collision **A790** (2007) 767c
Arenhövel, H., see Bacca, S. **A790** (2007) 360c
Arriola, E.R. and M.P. Valderrama, Chiral expansion, renormalization and the nuclear force **A790** (2007) 379c
Asaturyan, A., see Tang, L. **A790** (2007) 679c
Asaturyan, R., see Tang, L. **A790** (2007) 679c
Averett, T. and the Jefferson Lab Hall A Collaboration, The low Q^2 behavior of the extended Gerasimov–Drell–Hearn sum rule **A790** (2007) 514c
Bacca, S., H. Arenhövel, N. Barnea, W. Leidemann and G. Orlandini, Inclusive electron scattering off ^{4}He **A790** (2007) 360c
Bacca, S., see Orlandini, G. **A790** (2007) 368c
Bacca, S., see Quaglioni, S. **A790** (2007) 372c
Bagnato, V.S., see Henn, E.A.L. **A790** (2007) 800c
Bagnato, V.S., see Ramos, E.R.F. **A790** (2007) 776c
Baker, O.K., see Tang, L. **A790** (2007) 679c
Bakker, B.L.G., J.K. Boomsma and C.-R. Ji, Singularities in the light-front Yukawa model **A790** (2007) 573c
Bakker, B.L.G., see Ji, C.-R. **A790** (2007) 583c
Barnea, N., see Bacca, S. **A790** (2007) 360c
Barnea, N., see Gazit, D. **A790** (2007) 356c
Barnea, N., see Orlandini, G. **A790** (2007) 368c
Barnea, N., see Quaglioni, S. **A790** (2007) 372c
Barnea, N., see Vijande, J. **A790** (2007) 542c
Barrett, B.R., see Quaglioni, S. **A790** (2007) 372c
Battistel, O.A., see Farias, R.L.S. **A790** (2007) 332c
Baturin, P., see Tang, L. **A790** (2007) 679c
Bazzi, M., see Zmeskal, J. **A790** (2007) 667c
Beer, G., see Okada, S. **A790** (2007) 663c
Beer, G., see Zmeskal, J. **A790** (2007) 667c
Belyaev, V.B. and I.I. Shlyk, New possible approach to the treatment of three charged particles **A790** (2007) 792c
Benard, R., see Mardanpour, H. **A790** (2007) 426c
Benmokhtar, F., see Tang, L. **A790** (2007) 679c
Berman, B.L. and the CLAS Collaboration, Two-body photodisintegration of ^{3}He, ^{4}He, and ^{2}He up to 1.5 GeV **A790** (2007) 167c
Bertulani, C.A., Nuclear astrophysics with unstable nuclei **A790** (2007) 467c
Beyer, M., see Strauss, S. **A790** (2007) 627c
Bhagwat, M.S., A. Höll, A. Krassnigg and C.D. Roberts, Theory and phenomenology of hadrons **A790** (2007) 10c

0375-9474/2007 Published by Elsevier B.V.
doi:10.1016/S0375-9474(07)00544-1

Bhang, H., see Okada, S. **A790** (2007) 663c

Bhasin, V.S., Efimov effect in $2n$–core halo nuclei and appearance of resonant states in n–^{19}C scattering **A790** (2007) 257c

Biegun, A., see Mardanpour, H. **A790** (2007) 426c

Bigelow, N.P., D. Vigil, M. Tscherneck, J. Kleinert and C. Haimberger, Trapping cold polar molecules on chips **A790** (2007) 762c

Bijker, R., Flavor content of nucleon form factors in the space- and time-like region **A790** (2007) 136c

Blokhintsev, L.D., A.N. Safronov and A.A. Safronov, An analytic approach to constructing effective local interactions in few-body systems and its application to N^4He, N^3H, N^3He, and ^{3}He^{4}He scattering **A790** (2007) 241c

Bombelli, L., see Zmeskal, J. **A790** (2007) 667c

Boomsma, J.K., see Bakker, B.L.G. **A790** (2007) 573c

Bordeanu, C., see Petrascu, M. **A790** (2007) 235c

Borges, J.S., see Montalvo, J.E.C. **A790** (2007) 554c

Bosted, P., see Tang, L. **A790** (2007) 679c

Boucaud, Ph., see De Soto, F. **A790** (2007) 410c

Braaten, E., Three-body recombination in atoms with large scattering length **A790** (2007) 713c

Bracco, M.E., see Nielsen, M. **A790** (2007) 526c

Bradley, A.S., see Olsen, M.K. **A790** (2007) 733c

Bragadirean, A.M., see Zmeskal, J. **A790** (2007) 667c

Braghin, F.L., Di-antiquarks condensation in color superconductivity **A790** (2007) 546c

Braun, M.A., see Suslov, V.M. **A790** (2007) 699c

Brinkmann, K-Th. and the $\overline{P}ANDA$ Collaboration, Physics with the $\overline{P}ANDA$ detector at *FAIR* **A790** (2007) 75c

Budzanowski, A., see Smyrski, J. **A790** (2007) 438c

Cai, X.Z., see Ma, Y.G. **A790** (2007) 299c

Canton, L., K. Amos, S. Karataglidis, G. Pisent, J.P. Svenne and D. van der Knijff, Particle-unstable and weakly-bound light nuclei with a Sturmian approach that preserves the Pauli principle **A790** (2007) 251c

Carbonell, J., see De Soto, F. **A790** (2007) 410c

Carbonell, J., see Karmanov, V.A. **A790** (2007) 598c

Cargnelli, M., see Okada, S. **A790** (2007) 663c

Cargnelli, M., see Zmeskal, J. **A790** (2007) 667c

Carlini, R., see Tang, L. **A790** (2007) 679c

Carlson, B.V., see Funke Haas, B. **A790** (2007) 588c

Carlson, J., Vijay Pandharipande and few-body physics **A790** (2007) 191c

Carvalho, F., F.S. Navarra and M. Nielsen, κ loops and the nucleon strangeness **A790** (2007) 538c

Catitti, M., see Zmeskal, J. **A790** (2007) 667c

CELSIUS/WASA Collaboration, see Schönning, K. **A790** (2007) 319c

Chen, G.Y., see Yang, S.N. **A790** (2007) 229c

Chen, J.G., see Ma, Y.G. **A790** (2007) 299c

Chen, L.Z., see Wang, F. **A790** (2007) 493c

Chen, X., see Tang, L. **A790** (2007) 679c

Chiang, H.C., see Shen, P.N. **A790** (2007) 477c

Chiba, J., see Okada, S. **A790** (2007) 663c

Chiba, S., see Nishinohara, S. **A790** (2007) 277c

Choi, H.-M., see Ji, C.-R. **A790** (2007) 583c

Choi, S., see Okada, S. **A790** (2007) 663c

Christy, M., see Tang, L. **A790** (2007) 679c

Cladé, P., see Helmerson, K. **A790** (2007) 705c

CLAS Collaboration, see Berman, B.L. **A790** (2007) 167c

Cole, L., see Tang, L. **A790** (2007) 679c

Constantinescu, A., see Petrascu, M. **A790** (2007) 235c

Cortez Jr., N.V., see Montalvo, J.E.C. **A790** (2007) 554c

Cruceru, I., see Petrascu, M. **A790** (2007) 235c

Curceanu (Petrascu), C., see Zmeskal, J. **A790** (2007) 667c

Curceanu, C., see Okada, S. **A790** (2007) 663c

Czerwiński, E., see Smyrski, J. **A790** (2007) 438c

Czyżykiewicz, R., see Smyrski, J. **A790** (2007) 438c

da Rocha, C.A., see Higa, R. **A790** (2007) 384c

Dallabona, G., see Farias, R.L.S. **A790** (2007) 332c

Danagoulian, S., see Tang, L. **A790** (2007) 679c

Daniel, A., see Tang, L. **A790** (2007) 679c

de Melo, J.P.B.C., see Pace, E. **A790** (2007) 606c

de Melo, J.P.B.C., see Pereira, F.P. **A790** (2007) 610c

de Oliveira, A.L., see Reetz-Lamour, M. **A790** (2007) 728c

De Soto, F., J. Carbonell, C. Roiesnel, Ph. Boucaud, J.P. Leroy

and O. Pène, Two body scattering length of Yukawa model on a lattice **A790** (2007) 410c

de Toledo Piza, A.F.R., see Salgueiro, A.N. **A790** (2007) 780c

Dedonder, J.-P., see El-Bennich, B. **A790** (2007) 510c

Delfino, A., see Timóteo, V.S. **A790** (2007) 406c

Deltuva, A. and A.C. Fonseca, Four-nucleon scattering: A new numerical approach **A790** (2007) 272c

Deltuva, A., A.C. Fonseca and P.U. Sauer, Treatment of the Coulomb interaction in three-nucleon reactions **A790** (2007) 52c

Deltuva, A., A.C. Fonseca and P.U. Sauer, Study of the Coulomb effect in the photodisintegration of ^{3}He **A790** (2007) 344c

Denskat, J., see Reetz-Lamour, M. **A790** (2007) 728c

Desplanques, B., Properties of few-body systems in relativistic quantum mechanics and constraints from transformations under Poincaré space-time translations **A790** (2007) 578c

Dharmawardane, V., see Tang, L. **A790** (2007) 679c

D'Incao, J.P., see Esry, B.D. **A790** (2007) 742c

Dorokhov, A.E., Hadronic corrections to muon anomalous magnetic moment within the instanton liquid model **A790** (2007) 481c

Dosch, H.G. and E. Ferreira, Unified treatment of electroproduction for all vector mesons **A790** (2007) 623c

Drake, G.W.F. and Z.-C. Yan, Properties of halo nuclei from atomic isotope shifts **A790** (2007) 151c

Duma, M., see Petrascu, M. **A790** (2007) 235c

E01-011 Collaboration, see Tang, L. **A790** (2007) 679c

Egiyan, K., see Tang, L. **A790** (2007) 679c

El, G.A., A. Gammal and A.M. Kamchatnov, Generation of oblique dark solitons in supersonic flow of Bose–Einstein condensate past an obstacle **A790** (2007) 771c

El-Bennich, B., O.M.A. Leitner, B. Loiseau and J.-P. Dedonder, Scalar meson properties from D-meson decays **A790** (2007) 510c

El-Bennich, B., see Loiseau, B. **A790** (2007) 472c

Elaasar, M., see Tang, L. **A790** (2007) 679c

Elster, Ch., see Liu, H. **A790** (2007) 262c

Ent, R., see Tang, L. **A790** (2007) 679c

Entem, D.R. and F. Fernández, $N\overline{N}$ quasibound states: J/ψ decay and $\bar{p}$-atomic evidences **A790** (2007) 340c

Eslami-Kalantari, M., see Mardanpour, H. **A790** (2007) 426c

Esry, B.D. and J.P. D'Incao, Ultracold three-body collisions and the role of the Efimov effect **A790** (2007) 742c

Esterline, J.H., see Tornow, W. **A790** (2007) 64c

Faessler, A., see Khosonthongkee, K. **A790** (2007) 518c

Faessler, A., see Takeuchi, S. **A790** (2007) 502c

Famiano, M.A., see Petrascu, M. **A790** (2007) 235c

Fang, D.Q., see Ma, Y.G. **A790** (2007) 299c

Farias, R.L.S., G. Dallabona, G. Krein and O.A. Battistel, Mesonic correlation functions at finite temperature in the NJL model **A790** (2007) 332c

Fedorov, D.V., see Garrido, E. **A790** (2007) 96c

Fedorov, D.V., see Jensen, A.S. **A790** (2007) 723c

Feliciello, A. and the $\bar{\text{P}}$ANDA Collaboration, Hypernuclear studies at FAIR with $\bar{\text{P}}$ANDA **A790** (2007) 651c

Fenker, H., see Tang, L. **A790** (2007) 679c

Fermilab E791 Collaboration, see Reis, A. **A790** (2007) 675c

Fernández, F., see Entem, D.R. **A790** (2007) 340c

Fernández, F., see Vijande, J. **A790** (2007) 506c

Ferreira Jr, M.M. and F.M.O. Moucherek, Influence of Lorentz violation on the hydrogen spectrum **A790** (2007) 635c

Ferreira, E., see Dosch, H.G. **A790** (2007) 623c

Filikhin, I., V.M. Suslov and B. Vlahovic, Low-lying resonances of $^9_\Lambda$Be: Faddeev calculation with Padé-approximants **A790** (2007) 695c

Filikhin, I.N., see Suslov, V.M. **A790** (2007) 699c

Fiolhais, M., see Malheiro, M. **A790** (2007) 562c

Fiorini, C., see Zmeskal, J. **A790** (2007) 667c

Fogaça, D.A. and F.S. Navarra, Soliton propagation in relativistic hydrodynamics **A790** (2007) 619c

Fonseca, A.C., see Deltuva, A. **A790** (2007) 52c

Fonseca, A.C., see Deltuva, A. **A790** (2007) 272c

Fonseca, A.C., see Deltuva, A. **A790** (2007) 344c

Frederico, T. and M.T. Yamashita, Scales of critically stable few-body halo systems **A790** (2007) 116c

Frederico, T., see Funke Haas, B. **A790** (2007) 588c

Frederico, T., see Pace, E. **A790** (2007) 606c

Frederico, T., see Pereira, F.P. **A790** (2007) 610c

Frederico, T., see Strauss, S. **A790** (2007) 627c

Frederico, T., see Timóteo, V.S. **A790** (2007) 406c

Frederico, T., see Trevisan, L.A. **A790** (2007) 522c

Frederico, T., see Yamashita, M.T. **A790** (2007) 788c

Frizzi, T., see Zmeskal, J. **A790** (2007) 667c

Fujii, S., see Kamada, H. **A790** (2007) 398c

Fujii, Y., see Tang, L. **A790** (2007) 679c

Fujita, H., see Kawabata, T. **A790** (2007) 290c

Fujita, K., see Maeda, Y. **A790** (2007) 430c

Fujita, Y., see Kawabata, T. **A790** (2007) 290c

Fujiwara, M., see Kawabata, T. **A790** (2007) 290c

Fujiwara, Y., see Suzuki, Y. **A790** (2007) 223c

Fukuda, T., T. Saito and HypHI Collaboration, The study of hypernuclei with heavy ion beams at GSI **A790** (2007) 161c

Fukuda, Y., see Okada, S. **A790** (2007) 663c

Funke Haas, B., B.V. Carlson and T. Frederico, Quasideuteron pairing in asymmetric nuclear matter **A790** (2007) 588c

Furic, M., see Tang, L. **A790** (2007) 679c

Furman, A., see Loiseau, B. **A790** (2007) 472c

Gabbanini, C., Formation, detection and trapping of ultracold Rb_2 molecules **A790** (2007) 757c

Gal, A., Overview of $\overline{K}$-nuclear quasi-bound states **A790** (2007) 143c

Gal, A., see Shevchenko, N.V. **A790** (2007) 659c

Gammal, A., see El, G.A. **A790** (2007) 771c

Gan, L., see Tang, L. **A790** (2007) 679c

Garcilazo, H., see González, P. **A790** (2007) 550c

Garrido, E., D.V. Fedorov and A.S. Jensen, Resonances in three-body systems with short and long-range interactions **A790** (2007) 96c

Gaskell, D., see Tang, L. **A790** (2007) 679c

Gasparian, A., see Tang, L. **A790** (2007) 679c

Gazit, D. and N. Barnea, Few body calculation of neutrino neutral inelastic scattering on ^{4}He **A790** (2007) 356c

Ghio, F., see Zmeskal, J. **A790** (2007) 667c

Gibbs, W.R. and B. Loiseau, Two pion exchange in proton–proton scattering **A790** (2007) 315c

Gibson, B.F., A nuclear physics **A790** (2007) 641c

Gibson, Ed.F., see Tang, L. **A790** (2007) 679c

Gil, D., see Smyrski, J. **A790** (2007) 438c

Girlanda, L., see Viviani, M. **A790** (2007) 46c

Girolami, B., see Zmeskal, J. **A790** (2007) 667c

Giurgiu, M., see Petrascu, M. **A790** (2007) 235c

Glöckle, W. and G. Rawitscher, Scheme for an accurate solution of Faddeev integral equations in configuration space **A790** (2007) 282c

Glöckle, W., see Liu, H. **A790** (2007) 262c

Gnilozub, I.A., S.D. Kurgalin and Yu.M. Tchuvil'sky, Few-cluster solutions of many-fermion problem **A790** (2007) 687c

Goity, J.L. and N.N. Scoccola, Excited baryon decays in $1/N_c$ expansion of QCD **A790** (2007) 489c

González, P., J. Vijande, A. Valcarce and H. Garcilazo, Symmetry patterns in the (N, Δ) spectrum **A790** (2007) 550c

Greenfield, M.B., see Maeda, Y. **A790** (2007) 430c

Gross, F., Relativistic aspects of few-body physics **A790** (2007) 30c

Grzonka, D., see Smyrski, J. **A790** (2007) 438c

Guaraldo, C., see Zmeskal, J. **A790** (2007) 667c

Gueye, P., see Tang, L. **A790** (2007) 679c

Guo, F.K., see Shen, P.N. **A790** (2007) 477c

Guo, W., see Ma, Y.G. **A790** (2007) 299c

Gutsche, Th., see Khosonthongkee, K. **A790** (2007) 518c

Gutsche, Th., see Takeuchi, S. **A790** (2007) 502c

Haberzettl, H., see Oh, Y. **A790** (2007) 498c

Haidenbauer, J., Meson-exchange description of hadronic systems: Recent developments **A790** (2007) 457c

Haimberger, C., see Bigelow, N.P. **A790** (2007) 762c

Haine, S.A., see Olsen, M.K. **A790** (2007) 733c

Halkyard, R., see Tang, L. **A790** (2007) 679c

Hammer, H.-W., Few-body effects in cold atoms and limit cycles **A790** (2007) 103c

Hanaki, T., see Okada, S. **A790** (2007) 663c

Hara, K., see Kawabata, T. **A790** (2007) 290c

Harada, K., Power counting for nuclear effective field theory

and Wilsonian renormalization group **A790** (2007) 418c
Hashimoto, O., see Tang, L. **A790** (2007) 679c
Hatanaka, K., see Kawabata, T. **A790** (2007) 290c
Hatanaka, K., see Maeda, Y. **A790** (2007) 430c
Hatanaka, K., see Tameshige, Y. **A790** (2007) 446c
Hatano, M., see Maeda, Y. **A790** (2007) 430c
Hayano, R.S., see Okada, S. **A790** (2007) 663c
Helmerson, K., M.F. Andersen, C. Ryu, P. Cladé, V. Natarajan, A. Vaziri and W.D. Phillips, Generating persistent currents states of atoms using orbital angular momentum of photons **A790** (2007) 705c
Henn, E.A.L., G.B. Seco, J.A. Seman, K.M.F. Magalhães, V. Romero-Rochín and V.S. Bagnato, Global thermodynamic variables description for a confined cold gas undergoing Bose–Einstein condensation **A790** (2007) 800c
Higa, R., M.R. Robilotta and C.A. da Rocha, Two-pion exchange NN potential from Lorentz-invariant χEFT **A790** (2007) 384c
Hiyama, E., Y. Yamamoto, Th.A. Rijken and T. Motoba, Few-body aspects of hypernuclear physics **A790** (2007) 646c
Ho, Y.K., see Kar, S. **A790** (2007) 804c
Höll, A., see Bhagwat, M.S. **A790** (2007) 10c
Honda, D., see Tang, L. **A790** (2007) 679c
Hope, J.J., see Olsen, M.K. **A790** (2007) 733c
Horiuchi, W., see Suzuki, Y. **A790** (2007) 223c
Horn, T., see Tang, L. **A790** (2007) 679c
Hoshino, Y., Determination of the propagator in QED_3 by spectral function **A790** (2007) 614c
Hu, B., see Tang, L. **A790** (2007) 679c
Hu, S., see Tang, L. **A790** (2007) 679c
Hulet, R.G., see Li, W. **A790** (2007) 88c
Hungerford, Ed.V., see Tang, L. **A790** (2007) 679c
HypHI Collaboration, see Fukuda, T. **A790** (2007) 161c

Ieki, K., see Petrascu, M. **A790** (2007) 235c
Iio, M., see Okada, S. **A790** (2007) 663c
Ikdea, K., see Masui, H. **A790** (2007) 303c
Ikeda, K., see Myo, T. **A790** (2007) 311c
Iliescu, M., see Zmeskal, J. **A790** (2007) 667c
Inoue, T., A pentaquark model for $\Lambda(1405)$ **A790** (2007) 530c
Isbasescu, A., see Petrascu, M. **A790** (2007) 235c
Ishida, T., see Sagara, K. **A790** (2007) 348c
Ishikawa, S., Short-range three-nucleon forces effects on nucleon–deuteron scattering **A790** (2007) 389c
Ishikawa, T., see Okada, S. **A790** (2007) 663c
Ishimoto, S., see Okada, S. **A790** (2007) 663c
Ishiwatari, T., see Okada, S. **A790** (2007) 663c
Ishiwatari, T., see Zmeskal, J. **A790** (2007) 667c
Ispiryan, M., see Tang, L. **A790** (2007) 679c
Itagaki, N., see Aoyama, S. **A790** (2007) 307c
Itahashi, K., see Okada, S. **A790** (2007) 663c
Itoh, K., see Miki, K. **A790** (2007) 442c
Itoh, K., see Sekiguchi, K. **A790** (2007) 450c
Itoh, M., see Kawabata, T. **A790** (2007) 290c
Iwasaki, M., see Okada, S. **A790** (2007) 663c

Janusz, M., see Smyrski, J. **A790** (2007) 438c
Jarczyk, L., see Smyrski, J. **A790** (2007) 438c
Jefferson Lab Hall A Collaboration, see Averett, T. **A790** (2007) 514c
Jensen, A.S., T. Kjærgaard, M. Thøgersen and D.V. Fedorov, Eigenvalues of the one-body density matrix for correlated condensates **A790** (2007) 723c
Jensen, A.S., see Garrido, E. **A790** (2007) 96c
Ji, C.-R., B.L.G. Bakker and H.-M. Choi, New developments in treacherous points of light-front dynamics **A790** (2007) 583c
Ji, C.-R., see Bakker, B.L.G. **A790** (2007) 573c
Joffily, S., A model for the quantum vacuum **A790** (2007) 631c
Johnson, C.W., see Quaglioni, S. **A790** (2007) 372c
Johnston, K., see Tang, L. **A790** (2007) 679c
Jones, M., see Tang, L. **A790** (2007) 679c
Juhász, B., see Okada, S. **A790** (2007) 663c

Kalantar-Nayestanaki, N., Study of three-nucleon systems at KVI **A790** (2007) 69c
Kalantar-Nayestanaki, N., see Mardanpour, H. **A790** (2007) 426c
Kalantarians, N., see Tang, L. **A790** (2007) 679c
Kamada, H., S. Fujii, E. Uzu, M. Yamaguchi, R. Okamoto and Y. Koike, Low-momentum

nucleon–nucleon potential and its separability **A790** (2007) 398c
Kamada, H., see Maeda, Y. **A790** (2007) 430c
Kamada, H., see Sagara, K. **A790** (2007) 348c
Kamada, H., see Tameshige, Y. **A790** (2007) 446c
Kamada, H., see Uzu, E. **A790** (2007) 286c
Kamalov, S.S., see Yang, S.N. **A790** (2007) 229c
Kamchatnov, A.M., see El, G.A. **A790** (2007) 771c
Kamiński, R., see Loiseau, B. **A790** (2007) 472c
Kamiya, J., see Maeda, Y. **A790** (2007) 430c
Kamys, B., see Smyrski, J. **A790** (2007) 438c
Kanada-En'yo, Y., see Kawabata, T. **A790** (2007) 290c
Kaneta, M., see Tang, L. **A790** (2007) 679c
Kar, S. and Y.K. Ho, Ground states and resonance states of Ps^- and He interacting with screened Coulomb (Yukawa) potentials **A790** (2007) 804c
Karataglidis, S., see Canton, L. **A790** (2007) 251c
Karmanov, V.A., J. Carbonell and M. Mangin-Brinet, Bethe–Salpeter equation with cross-ladder kernel in Minkowski and Euclidean spaces **A790** (2007) 598c
Kato, F., see Tang, L. **A790** (2007) 679c
Katō, K., see Masui, H. **A790** (2007) 303c
Katō, K., see Myo, T. **A790** (2007) 311c
Kato, S., see Tang, L. **A790** (2007) 679c
Kawabata, K., see Miki, K. **A790** (2007) 442c
Kawabata, T., H. Akimune, H. Fujita, Y. Fujita, M. Fujiwara, K. Hara, K. Hatanaka, M. Itoh, Y. Kanada-En'yo, S. Kishi, K. Nakanishi, H. Sakaguchi, Y. Shimbara, A. Tamii, S. Terashima, M. Uchida, T. Wakasa, Y. Yasuda, H.P. Yoshida and M. Yosoi, Three-body cluster state in ^{11}B **A790** (2007) 290c
Kawabata, T., see Maeda, Y. **A790** (2007) 430c
Kawabata, T., see Sekiguchi, K. **A790** (2007) 450c
Kawaguchi, Y., see Saito, H. **A790** (2007) 737c
Kawama, D., see Tang, L. **A790** (2007) 679c
Kepple, C., see Tang, L. **A790** (2007) 679c
Kezerashvili, R.Ya., Meson exchange currents in pion double charge exchange reaction **A790** (2007) 336c
Khosonthongkee, K., N. Supanam, Y. Yan, Th. Gutsche and A. Faessler, $N^*(1440)$ decays in a hybrid baryon model **A790** (2007) 518c
Khosonthongkee, K., see Yan, Y. **A790** (2007) 402c
Khoukaz, A., see Smyrski, J. **A790** (2007) 438c
Kienle, P., see Okada, S. **A790** (2007) 663c
Kienle, P., see Zmeskal, J. **A790** (2007) 667c
Kievsky, A., see Viviani, M. **A790** (2007) 46c
Kiš, M., see Mardanpour, H. **A790** (2007) 426c
Kishi, S., see Kawabata, T. **A790** (2007) 290c
Kistryn, St., see Mardanpour, H. **A790** (2007) 426c
Kjærgaard, T., see Jensen, A.S. **A790** (2007) 723c
Klaja, P., see Smyrski, J. **A790** (2007) 438c
Kleinert, J., see Bigelow, N.P. **A790** (2007) 762c
Kobdaj, C., see Yan, Y. **A790** (2007) 402c
Koike, Y., see Kamada, H. **A790** (2007) 398c
Koike, Y., see Uzu, E. **A790** (2007) 286c
Kolganova, E.A., A.K. Motovilov and W. Sandhas, Ultracold scattering processes in three-atomic helium systems **A790** (2007) 752c
Korda, V.Yu. and A.V. Shebeko, Clothed particle representation in quantum field theory: Mass renormalization **A790** (2007) 602c
Kozela, A., see Mardanpour, H. **A790** (2007) 426c
Krassnigg, A., see Bhagwat, M.S. **A790** (2007) 10c
Krein, G., see Farias, R.L.S. **A790** (2007) 332c
Kuboki, H., see Maeda, Y. **A790** (2007) 430c
Kuboki, H., see Mardanpour, H. **A790** (2007) 426c
Kuboki, H., see Miki, K. **A790** (2007) 442c
Kuboki, H., see Sekiguchi, K. **A790** (2007) 450c
Kudoh, T., see Sagara, K. **A790** (2007) 348c
Kudoh, T., see Tameshige, Y. **A790** (2007) 446c
Kühl, T., see Tomaselli, M. **A790** (2007) 246c
Kuo, T.T.S., see Tzeng, Y. **A790** (2007) 683c
Kurgalin, S.D., see Gnilozub, I.A. **A790** (2007) 687c
Kuroita, S., see Sagara, K. **A790** (2007) 348c
Lagaris, I.E., see Voglis, C. **A790** (2007) 655c
Lechner, P., see Zmeskal, J. **A790** (2007) 667c
Leidemann, W., Electromagnetic reactions of few-body systems with the Lorentz integral transform method **A790** (2007) 24c
Leidemann, W., see Bacca, S. **A790** (2007) 360c
Leidemann, W., see Orlandini, G. **A790** (2007) 368c
Leidemann, W., see Quaglioni, S. **A790** (2007) 372c
Leitner, O.M.A., see El-Bennich, B. **A790** (2007) 510c
Lekala, M.L., see Rampho, G.J. **A790** (2007) 691c

Lekala, M.L., see Sofianos, S.A. **A790** (2007) 796c
Lekala, M.L., see Voglis, C. **A790** (2007) 655c
Leroy, J.P., see De Soto, F. **A790** (2007) 410c
Leśniak, L., see Loiseau, B. **A790** (2007) 472c
Levi Sandri, P., see Zmeskal, J. **A790** (2007) 667c
Li, W., G.B. Partridge, Y.A. Liao and R.G. Hulet, Pairing of a trapped Fermi gas with unequal spin populations **A790** (2007) 88c
Li, Y., see Tang, L. **A790** (2007) 679c
Liao, Y.A., see Li, W. **A790** (2007) 88c
Lin, C.-Y., see Salgueiro, A.N. **A790** (2007) 780c
Linares, L.P., see Malheiro, M. **A790** (2007) 562c
Liu, G.H., see Ma, Y.G. **A790** (2007) 299c
Liu, H., Ch. Elster and W. Glöckle, Three-body elastic and inelastic scattering at intermediate energies **A790** (2007) 262c
Liu, Y.-x., see Wang, B. **A790** (2007) 593c
Lodhi, M.A.K. and R. Marshall, Hadronic absorption cross sections of B_c **A790** (2007) 323c
Loiseau, B., B. El-Bennich, A. Furman, R. Kamiński and L. Leśniak, Strong and weak interactions in $B \to \pi^+\pi^- K$ decays **A790** (2007) 472c
Loiseau, B., see El-Bennich, B. **A790** (2007) 510c
Loiseau, B., see Gibbs, W.R. **A790** (2007) 315c
Longoni, A., see Zmeskal, J. **A790** (2007) 667c
Lucherini, V., see Zmeskal, J. **A790** (2007) 667c
Luo, W., see Tang, L. **A790** (2007) 679c
Lynch, W.G., see Petrascu, M. **A790** (2007) 235c
Lyuboshitz, V.L. and V.V. Lyuboshitz, On the process of Coulomb dissociation of weakly bound relativistic nuclei and hypernuclei **A790** (2007) 294c
Lyuboshitz, V.V., see Lyuboshitz, V.L. **A790** (2007) 294c
Lyubovitskij, V.E., see Takeuchi, S. **A790** (2007) 502c

Ma, C.W., see Ma, Y.G. **A790** (2007) 299c
Ma, E.J., see Ma, Y.G. **A790** (2007) 299c
Ma, Y.G., X.Z. Cai, J.G. Chen, D.Q. Fang, W. Guo, G.H. Liu, C.W. Ma, E.J. Ma, W.Q. Shen, Y. Shi, Q.M. Su, W.D. Tian, H.W. Wang, K. Wang, Y.B. Wei and T.Z. Yan, Nucleon–nucleon momentum correlation function for light nuclei **A790** (2007) 299c
Maas, A., Instantons, monopoles, vortices, and the Faddeev–Popov operator eigenspectrum **A790** (2007) 566c
Macek, J.H., Efimov states of fermionic species **A790** (2007) 747c
Machleidt, R., The theory of nuclear forces: Is the never-ending story coming to an end? **A790** (2007) 17c
Mack, D., see Tang, L. **A790** (2007) 679c
Maeda, Y., H. Sakai, K. Fujita, M. Hatano, J. Kamiya, T. Kawabata, H. Kuboki, K. Hatanaka, H. Okamura, T. Saito, Y. Sakemi, M. Sasano, K. Sekiguchi, Y. Shimizu, K. Suda, Y. Tameshige, A. Tamii, T. Wakasa, K. Yako, M.B. Greenfield, H. Kamada and H. Witała, Measurements of the $\vec{n}d$ scattering at 250 MeV and three-nucleon forces **A790** (2007) 430c
Maeda, Y., see Mardanpour, H. **A790** (2007) 426c
Maeda, Y., see Miki, K. **A790** (2007) 442c
Maeda, Y., see Sekiguchi, K. **A790** (2007) 450c
Maekawa, C.M., Few body system and parity violation in ChPT **A790** (2007) 352c
Magalhães, K.M.F., see Henn, E.A.L. **A790** (2007) 800c
Mahjour-Shafiei, M., see Mardanpour, H. **A790** (2007) 426c
Malheiro, M., L.P. Linares, M. Fiolhais and A. Taurines, Color superconductivity and quark stars **A790** (2007) 562c
Mangin-Brinet, M., see Karmanov, V.A. **A790** (2007) 598c
Marcucci, L.E., see Viviani, M. **A790** (2007) 46c
Mardanpour, H., H.R. Amir-Ahmadi, R. Benard, A. Biegun, M. Eslami-Kalantari, N. Kalantar-Nayestanaki, M. Kiš, St. Kistryn, A. Kozela, H. Kuboki, Y. Maeda, M. Mahjour-Shafiei, J.G. Messchendorp, K. Miki, S. Noji, A. Ramazani, H. Sakai, M. Sasano, K. Sekiguchi, E. Stephan, R. Sworst, Y. Takahashi and K. Yako, Study of three-nucleon force effects in $\vec{p} + d$ break-up with BINA **A790** (2007) 426c

Mareš, J., see Shevchenko, N.V. **A790** (2007) 659c

Margaryan, A., see Tang, L. **A790** (2007) 679c

Mariano, A., Pion photoproduction in an isobar consistent model **A790** (2007) 267c

Marikyan, G., see Tang, L. **A790** (2007) 679c

Marshall, R., see Lodhi, M.A.K. **A790** (2007) 323c

Marton, J., Precision studies on strong interaction in pionic hydrogen **A790** (2007) 328c

Marton, J., see Okada, S. **A790** (2007) 663c

Marton, J., see Zmeskal, J. **A790** (2007) 667c

Maruyama, N., see Tang, L. **A790** (2007) 679c

Masui, H., K. Katō and K. Ikdea, Study of weakly bound nuclei with an extended cluster-orbital shell model **A790** (2007) 303c

Matheus, R.D., see Nielsen, M. **A790** (2007) 526c

Matsuda, Y., see Okada, S. **A790** (2007) 663c

Matsumura, A., see Tang, L. **A790** (2007) 679c

Matsumura, H. and Y. Suzuki, Decay width of the $\Theta^+(1540)$ in 5-quark dynamical calculation **A790** (2007) 534c

Matsumura, H., see Suzuki, Y. **A790** (2007) 223c

Mattiello, S., see Strauss, S. **A790** (2007) 627c

Meißner, U.-G., Modern theory of nuclear forces: Status and perspectives **A790** (2007) 129c

Melchert, O., see Apagyi, B. **A790** (2007) 767c

Melrose, D.B., see Menezes, D.P. **A790** (2007) 558c

Menezes, D.P., D.B. Melrose, C. Providência and K. Wu, The QCD phase diagram and the gamma-ray bursts **A790** (2007) 558c

Messchendorp, J.G., Proton–deuteron radiative capture at intermediate energies **A790** (2007) 434c

Messchendorp, J.G., see Mardanpour, H. **A790** (2007) 426c

Miki, K., H. Sakai, K. Itoh, K. Kawabata, H. Kuboki, Y. Maeda, S. Noji, S. Sakaguchi, N. Sakamoto, Y. Sasamoto, M. Sasano, Y. Satou, K. Sekiguchi, K. Suda, Y. Takahashi, T. Uesaka and K. Yako, Measurement of the ^{2}H(d,pn) reaction at 0 degrees at 270 MeV **A790** (2007) 442c

Miki, K., see Mardanpour, H. **A790** (2007) 426c

Mirez, C., see Trevisan, L.A. **A790** (2007) 522c

Mitnik, D.M., Helium atom in a box: A fully quantal solution **A790** (2007) 784c

Miyoshi, T., see Tang, L. **A790** (2007) 679c

Mkrtchyan, A., see Tang, L. **A790** (2007) 679c

Mkrtchyan, H., see Tang, L. **A790** (2007) 679c

Montalvo, J.E.C., J.S. Borges, M.D. Tonasse and N.V. Cortez Jr., Possibilities for charged Higgs bosons at the LHC in a $SU(3)_L \otimes U(1)_N$ model **A790** (2007) 554c

Morikawa, T., see Sagara, K. **A790** (2007) 348c

Moskal, P., see Smyrski, J. **A790** (2007) 438c

Motoba, T., see Hiyama, E. **A790** (2007) 646c

Motovilov, A.K., see Kolganova, E.A. **A790** (2007) 752c

Moucherek, F.M.O., see Ferreira Jr, M.M. **A790** (2007) 635c

Muroya, S., see Nagata, J. **A790** (2007) 414c

Myo, T., K. Katō, H. Tok and K. Ikeda, Properties of the tensor correlation in neutron halo nuclei **A790** (2007) 311c

Nagata, J., A. Nakamura and S. Muroya, Lattice study of πK scattering length **A790** (2007) 414c

Nakamura, A., see Nagata, J. **A790** (2007) 414c

Nakamura, S.N., see Tang, L. **A790** (2007) 679c

Nakamura, S.X., Renormalization group analysis of nuclear force **A790** (2007) 422c

Nakanishi, K., see Kawabata, T. **A790** (2007) 290c

Nakayama, K., see Oh, Y. **A790** (2007) 498c

Natarajan, V., see Helmerson, K. **A790** (2007) 705c

Navarra, F.S., see Carvalho, F. **A790** (2007) 538c

Navarra, F.S., see Fogaça, D.A. **A790** (2007) 619c

Navarra, F.S., see Nielsen, M. **A790** (2007) 526c

Navasardyan, T., see Tang, L. **A790** (2007) 679c

Navrátil, P., see Quaglioni, S. **A790** (2007) 372c

Niculescu, G., see Tang, L. **A790** (2007) 679c

Niculescu, M.-I., see Tang, L. **A790** (2007) 679c

Nielsen, M., R.D. Matheus, F.S. Navarra and M.E. Bracco, Testing the nature of the $D_{sJ}^+(2317)$ and $X(3782)$ states using QCD sum rules **A790** (2007) 526c

Nielsen, M., see Carvalho, F. **A790** (2007) 538c

Nishinohara, S., S. Chiba and S. Oryu, The Coulomb scattering in momentum space for few-body systems **A790** (2007) 277c

Noji, S., see Mardanpour, H. **A790** (2007) 426c

Noji, S., see Miki, K. **A790** (2007) 442c
Nomura, H., see Tang, L. **A790** (2007) 679c
Nonaka, K., see Tang, L. **A790** (2007) 679c

Oelert, W., see Smyrski, J. **A790** (2007) 438c
Oh, Y., H. Haberzettl and K. Nakayama, Photoproduction of cascade baryon **A790** (2007) 498c
Ohira, H., see Sagara, K. **A790** (2007) 348c
Ohnishi, H., see Okada, S. **A790** (2007) 663c
Ohtani, A., see Tang, L. **A790** (2007) 679c
Oi, M., see Aoyama, S. **A790** (2007) 307c
Oka, M., Dynamics of multiquark systems: Mass, width and exotics **A790** (2007) 462c
Okada, S., G. Beer, H. Bhang, M. Cargnelli, J. Chiba, S. Choi, C. Curceanu, Y. Fukuda, T. Hanaki, R.S. Hayano, M. Iio, T. Ishikawa, S. Ishimoto, T. Ishiwatari, K. Itahashi, M. Iwasaki, B. Juhász, P. Kienle, J. Marton, Y. Matsuda, H. Ohnishi, H. Outa, M. Sato, P. Schmid, S. Suzuki, T. Suzuki, H. Tatsuno, D. Tomono, E. Widmann, T. Yamazaki, H. Yim and J. Zmeskal, Precision spectroscopy of kaonic helium $3d \to 2p$ X-rays **A790** (2007) 663c
Okamoto, R., see Kamada, H. **A790** (2007) 398c
Okamura, H., see Maeda, Y. **A790** (2007) 430c
Okamura, H., see Sekiguchi, K. **A790** (2007) 450c
Okayasu, Y., see Tang, L. **A790** (2007) 679c
Olsen, M.K., A.S. Bradley, S.A. Haine and J.J. Hope, Quantum statistical measurements of an atom laser beam **A790** (2007) 733c
Orabi, M., see Suzuki, Y. **A790** (2007) 223c
Orlandini, G., S. Bacca, N. Barnea and W. Leidemann, Test of J-matrix inverse scattering potentials on photonuclear reactions of A = 2,3,4 nuclei **A790** (2007) 368c
Orlandini, G., see Bacca, S. **A790** (2007) 360c
Orlandini, G., see Quaglioni, S. **A790** (2007) 372c
Oryu, S., see Nishinohara, S. **A790** (2007) 277c
Outa, H., see Okada, S. **A790** (2007) 663c

Pace, E., G. Salmè, T. Frederico, S. Pisano and J.P.B.C. de Melo, Timelike and spacelike hadron form factors, Fock state components and light-front dynamics **A790** (2007) 606c
Pamela, P., see Tang, L. **A790** (2007) 679c
$\bar{P}ANDA$ Collaboration, see Brinkmann, K-Th. **A790** (2007) 75c
$\bar{P}$ANDA Collaboration, see Feliciello, A. **A790** (2007) 651c
Pang, H.R., see Wang, F. **A790** (2007) 493c
Partridge, G.B., see Li, W. **A790** (2007) 88c
Pène, O., see De Soto, F. **A790** (2007) 410c
Pereira, F.P., J.P.B.C. de Melo, T. Frederico and L. Tomio, Electromagnetic structure and weak decay of meson K in a light-front QCD-inspired model **A790** (2007) 610c
Perez, N., see Tang, L. **A790** (2007) 679c
Petkovic, T., see Tang, L. **A790** (2007) 679c
Petrascu, H., see Petrascu, M. **A790** (2007) 235c
Petrascu, M., A. Constantinescu, I. Cruceru, M. Duma, M. Giurgiu, A. Isbasescu, H. Petrascu, S. Serban, V. Stoica, C. Bordeanu, I. Tanihata, W.G. Lynch, M.A. Famiano and K. Ieki, Experimental state of n–n correlation function for Borromean halo nuclei investigation **A790** (2007) 235c
Phillips, W.D., see Helmerson, K. **A790** (2007) 705c
Pietreanu, D., see Zmeskal, J. **A790** (2007) 667c
Ping, J.L., see Wang, F. **A790** (2007) 493c
Pisano, S., see Pace, E. **A790** (2007) 606c
Pisent, G., see Canton, L. **A790** (2007) 251c
Piskor-Ignatowicz, C., see Smyrski, J. **A790** (2007) 438c
Platchkov, S., Determination of the gluon contribution to the nucleon spin with COMPASS **A790** (2007) 58c
Platter, L., Effective range corrections in few-body systems with large scattering length **A790** (2007) 394c
Ponta, T., see Zmeskal, J. **A790** (2007) 667c
Providência, C., see Menezes, D.P. **A790** (2007) 558c
Przerwa, J., see Smyrski, J. **A790** (2007) 438c

Quaglioni, S., I. Stetcu, S. Bacca, B.R. Barrett, C.W. Johnson, P. Navrátil, N. Barnea, W. Leidemann and G. Orlandini,

Benchmark calculation of inclusive responses in the four-body nuclear system **A790** (2007) 372c
Qweak Collaboration, see Van Oers, W.T.H. **A790** (2007) 81c
Ramazani, A., see Mardanpour, H. **A790** (2007) 426c
Ramos, E.R.F., L. Sanz, V.I. Yukalov and V.S. Bagnato, Ramsey-like fringes observation during excitation of coherent modes in a Bose–Einstein condensate **A790** (2007) 776c
Rampho, G.J., M.L. Lekala, S.A. Sofianos and R.M. Adam, Relaxation method for A-body systems **A790** (2007) 691c
Rampho, G.J., see Sofianos, S.A. **A790** (2007) 796c
Rampho, G.J., see Voglis, C. **A790** (2007) 655c
Randeniya, S., see Tang, L. **A790** (2007) 679c
Rawitscher, G., see Glöckle, W. **A790** (2007) 282c
Reetz-Lamour, M., T. Amthor, S. Westermann, J. Denskat, A.L. de Oliveira and M. Weidemüller, Modeling few-body phenomena in an ultracold Rydberg gas **A790** (2007) 728c
Reinhold, J., see Tang, L. **A790** (2007) 679c
Reis, A. and the Fermilab E791 Collaboration, Final state interactions in D meson decays **A790** (2007) 675c
Rijken, Th.A., see Hiyama, E. **A790** (2007) 646c
Ritman, J., see Smyrski, J. **A790** (2007) 438c
Rivera, R., see Tang, L. **A790** (2007) 679c
Roberts, C.D., see Bhagwat, M.S. **A790** (2007) 10c
Robilotta, M.R., Two and three nucleon forces **A790** (2007) 3c
Robilotta, M.R., see Higa, R. **A790** (2007) 384c
Roche, J., see Tang, L. **A790** (2007) 679c
Rodriguez, V.M., see Tang, L. **A790** (2007) 679c
Roiesnel, C., see De Soto, F. **A790** (2007) 410c
Romero-Rochín, V., see Henn, E.A.L. **A790** (2007) 800c
Rosati, S., see Viviani, M. **A790** (2007) 46c
Roudnev, V.A., see Sofianos, S.A. **A790** (2007) 796c
Rożek, T., see Smyrski, J. **A790** (2007) 438c
Ryu, C., see Helmerson, K. **A790** (2007) 705c

Safronov, A.A., see Blokhintsev, L.D. **A790** (2007) 241c
Safronov, A.N., see Blokhintsev, L.D. **A790** (2007) 241c
Sagara, K., M. Tomiyama, S. Shimomoto, T. Ishida, T. Kudoh, S. Kuroita, T. Morikawa, M. Shiota, H. Ohira, H. Kamada and H. Witała, Discrepancy in pd breakup reaction at $E_p = 13$ MeV **A790** (2007) 348c
Sagara, K., see Tameshige, Y. **A790** (2007) 446c
Saito, H., Y. Kawaguchi and M. Ueda, Symmetry breaking in scalar, spinor, and rotating Bose–Einstein condensates **A790** (2007) 737c
Saito, T., see Fukuda, T. **A790** (2007) 161c
Saito, T., see Maeda, Y. **A790** (2007) 430c
Sakaguchi, H., see Kawabata, T. **A790** (2007) 290c
Sakaguchi, S., see Miki, K. **A790** (2007) 442c
Sakaguchi, S., see Sekiguchi, K. **A790** (2007) 450c
Sakai, H., Experimental status of three-nucleon force study by nucleon–deuteron system **A790** (2007) 122c
Sakai, H., see Maeda, Y. **A790** (2007) 430c
Sakai, H., see Mardanpour, H. **A790** (2007) 426c
Sakai, H., see Miki, K. **A790** (2007) 442c
Sakai, H., see Sekiguchi, K. **A790** (2007) 450c
Sakamoto, N., see Miki, K. **A790** (2007) 442c
Sakamoto, N., see Sekiguchi, K. **A790** (2007) 450c
Sakemi, Y., see Maeda, Y. **A790** (2007) 430c
Sakemi, Y., see Tameshige, Y. **A790** (2007) 446c
Salgueiro, A.N., C.-Y. Lin, A.F.R. de Toledo Piza and M. Weidemüller, Doorway states and the Bose–Hubbard model **A790** (2007) 780c
Salmè, G., see Pace, E. **A790** (2007) 606c
Sandhas, W., see Kolganova, E.A. **A790** (2007) 752c
Sanz, L., see Ramos, E.R.F. **A790** (2007) 776c
Sasamoto, Y., see Miki, K. **A790** (2007) 442c
Sasamoto, Y., see Sekiguchi, K. **A790** (2007) 450c
Sasano, M., see Maeda, Y. **A790** (2007) 430c
Sasano, M., see Mardanpour, H. **A790** (2007) 426c
Sasano, M., see Miki, K. **A790** (2007) 442c
Sasano, M., see Sekiguchi, K. **A790** (2007) 450c
Sato, M., see Okada, S. **A790** (2007) 663c
Sato, Y., see Tang, L. **A790** (2007) 679c
Satou, Y., see Miki, K. **A790** (2007) 442c
Sauer, P.U., see Deltuva, A. **A790** (2007) 52c
Sauer, P.U., see Deltuva, A. **A790** (2007) 344c
Scheid, W., see Apagyi, B. **A790** (2007) 767c
Schmid, P., see Okada, S. **A790** (2007) 663c

Schönning, K. and the CELSIUS/WASA Collaboration, The production of ω mesons in pd $\rightarrow$ ^{3}Heω near the kinematic threshold **A790** (2007) 319c
Schumayer, D., see Apagyi, B. **A790** (2007) 767c
Scoccola, N.N., see Goity, J.L. **A790** (2007) 489c
Scopetta, S., Generalized parton distributions of few body systems **A790** (2007) 364c
Seco, G.B., see Henn, E.A.L. **A790** (2007) 800c
Sefzick, T., see Smyrski, J. **A790** (2007) 438c
Sekiguchi, K., H. Sakai, N. Sakamoto, H. Kuboki, M. Sasano, Y. Takahashi, K. Yako, T. Kawabata, Y. Maeda, S. Sakaguchi, Y. Sasamoto, K. Suda, T. Uesaka, H. Okamura, K. Itoh and T. Wakasa, Study of spin parts of three nucleon forces via $\vec{d}p$ breakup reactions at intermediate energies **A790** (2007) 450c
Sekiguchi, K., see Maeda, Y. **A790** (2007) 430c
Sekiguchi, K., see Mardanpour, H. **A790** (2007) 426c
Sekiguchi, K., see Miki, K. **A790** (2007) 442c
Seman, J.A., see Henn, E.A.L. **A790** (2007) 800c
Serban, S., see Petrascu, M. **A790** (2007) 235c
Seva, T., see Tang, L. **A790** (2007) 679c
Shebeko, A.V., see Korda, V.Yu. **A790** (2007) 602c
Shen, P.N., F.K. Guo, H.C. Chiang and B.S. Zou, 0^+ and 1^+ heavy mesons in heavy chiral unitary approach **A790** (2007) 477c
Shen, W.Q., see Ma, Y.G. **A790** (2007) 299c
Shevchenko, N.V., J. Mareš and A. Gal, Search for a K^-pp bound state **A790** (2007) 659c
Shi, Y., see Ma, Y.G. **A790** (2007) 299c
Shimbara, Y., see Kawabata, T. **A790** (2007) 290c
Shimizu, Y., see Maeda, Y. **A790** (2007) 430c
Shimizu, Y., see Tameshige, Y. **A790** (2007) 446c
Shimomoto, S., see Sagara, K. **A790** (2007) 348c
Shimomoto, S., see Tameshige, Y. **A790** (2007) 446c
Shiota, M., see Sagara, K. **A790** (2007) 348c
Shiota, M., see Tameshige, Y. **A790** (2007) 446c
Shlyk, I.I., see Belyaev, V.B. **A790** (2007) 792c
Sick, I., Vijay Pandharipande: Correlations in many-body systems **A790** (2007) 185c
Siemaszko, M., see Smyrski, J. **A790** (2007) 438c
Simicevic, N., see Tang, L. **A790** (2007) 679c
Sirghi, D.L., see Zmeskal, J. **A790** (2007) 667c
Sirghi, F., see Zmeskal, J. **A790** (2007) 667c
Šlaus, I., Few-body research – Summary **A790** (2007) 199c
Smith, G., see Tang, L. **A790** (2007) 679c
Smyrski, J., H.-H. Adam, A. Budzanowski, E. Czerwiński, R. Czyżykiewicz, D. Gil, D. Grzonka, M. Janusz, L. Jarczyk, B. Kamys, A. Khoukaz, P. Klaja, P. Moskal, W. Oelert, C. Piskor-Ignatowicz, J. Przerwa, J. Ritman, T. Rożek, T. Sefzick, M. Siemaszko, A. Täschner, P. Winter, M. Wolke, P. Wüstner and W. Zipper, Study of the ^{3}He – η system in d – p collisions **A790** (2007) 438c
Sofianos, S.A., M.L. Lekala, G.J. Rampho and V.A. Roudnev, The Ar_3 molecular system **A790** (2007) 796c
Sofianos, S.A., see Rampho, G.J. **A790** (2007) 691c
Sofianos, S.A., see Voglis, C. **A790** (2007) 655c
Soltau, H., see Zmeskal, J. **A790** (2007) 667c
Song, Y., see Tang, L. **A790** (2007) 679c
Sowinski, J. and the STAR Collaboration, Exploring the spin structure of the proton with two-body partonic scattering at RHIC **A790** (2007) 485c
STAR Collaboration, see Sowinski, J. **A790** (2007) 485c
Stephan, E., see Mardanpour, H. **A790** (2007) 426c
Stetcu, I., see Quaglioni, S. **A790** (2007) 372c
Stoica, V., see Petrascu, M. **A790** (2007) 235c
Strauss, S., M. Beyer, S. Mattiello and T. Frederico, Relativistic quark matter in light front field theory **A790** (2007) 627c
Strüder, L., see Zmeskal, J. **A790** (2007) 667c
Su, Q.M., see Ma, Y.G. **A790** (2007) 299c
Suda, K., see Maeda, Y. **A790** (2007) 430c
Suda, K., see Miki, K. **A790** (2007) 442c
Suda, K., see Sekiguchi, K. **A790** (2007) 450c
Suebka, P., see Yan, Y. **A790** (2007) 402c
Sumihama, M., see Tang, L. **A790** (2007) 679c
Supanam, N., see Khosonthongkee, K. **A790** (2007) 518c

Suslov, V.M., M.A. Braun, I.N. Filikhin and B. Vlahovic, A study of neutron–deuteron scattering in configuration space **A790** (2007) 699c
Suslov, V.M., see Filikhin, I. **A790** (2007) 695c
Suzuki, S., see Okada, S. **A790** (2007) 663c
Suzuki, T., see Okada, S. **A790** (2007) 663c
Suzuki, Y., Y. Fujiwara, W. Horiuchi, H. Matsumura and M. Orabi, Dynamics of macroscopic and microscopic three-body systems **A790** (2007) 223c
Suzuki, Y., see Matsumura, H. **A790** (2007) 534c
Svenne, J.P., see Canton, L. **A790** (2007) 251c
Sworst, R., see Mardanpour, H. **A790** (2007) 426c

Tadevosyan, V., see Tang, L. **A790** (2007) 679c
Takahashi, T., see Tang, L. **A790** (2007) 679c
Takahashi, Y., see Mardanpour, H. **A790** (2007) 426c
Takahashi, Y., see Miki, K. **A790** (2007) 442c
Takahashi, Y., see Sekiguchi, K. **A790** (2007) 450c
Takeuchi, S., V.E. Lyubovitskij, Th. Gutsche and A. Faessler, X(3872): A $q\bar{q}$-$c\bar{c}$ molecule with attractive diquarks **A790** (2007) 502c
Tameshige, Y., K. Sagara, T. Kudoh, M. Shiota, S. Shimomoto, T. Wakasa, K. Hatanaka, A. Tamii, Y. Sakemi, Y. Shimizu, H.P. Yoshida, H. Kamada and H. Witała, Tensor analyzing powers of pd radiative capture at $E_{\vec{d}} = 137$ MeV **A790** (2007) 446c
Tameshige, Y., see Maeda, Y. **A790** (2007) 430c
Tamii, A., see Kawabata, T. **A790** (2007) 290c
Tamii, A., see Maeda, Y. **A790** (2007) 430c
Tamii, A., see Tameshige, Y. **A790** (2007) 446c
Tamura, H., see Tang, L. **A790** (2007) 679c
Tang, L., L. Yuan, E01-011 Collaboration, A. Acha, A. Ahmidouch, D. Androic, A. Asaturyan, R. Asaturyan, O.K. Baker, P. Baturin, F. Benmokhtar, P. Bosted, R. Carlini, X. Chen, M. Christy, L. Cole, S. Danagoulian, A. Daniel, V. Dharmawardane, K. Egiyan, M. Elaasar, R. Ent, H. Fenker, Y. Fujii, M. Furic, L. Gan, D. Gaskell, A. Gasparian, Ed.F. Gibson, P. Gueye, R. Halkyard, O. Hashimoto, D. Honda, T. Horn, B. Hu, S. Hu, Ed.V. Hungerford, M. Ispiryan, K. Johnston, M. Jones, N. Kalantarians, M. Kaneta, F. Kato, S. Kato, D. Kawama, C. Kepple, Y. Li, W. Luo, D. Mack, A. Margaryan, G. Marikyan, N. Maruyama, A. Matsumura, T. Miyoshi, A. Mkrtchyan, H. Mkrtchyan, S.N. Nakamura, T. Navasardyan, G. Niculescu, M.-I. Niculescu, H. Nomura, K. Nonaka, A. Ohtani, Y. Okayasu, P. Pamela, N. Perez, T. Petkovic, S. Randeniya, J. Reinhold, R. Rivera, J. Roche, V.M. Rodriguez, Y. Sato, T. Seva, N. Simicevic, G. Smith, M. Sumihama, Y. Song, V. Tadevosyan, T. Takahashi, H. Tamura, V. Tvaskis, W. Vulcan, B. Wang, S. Wells, S. Wood, C. Yan and S. Zamkochian, The HKS experiment on Λ-hypernuclear spectroscopy via electroproduction at JLab **A790** (2007) 679c
Tanihata, I., see Petrascu, M. **A790** (2007) 235c
Täschner, A., see Smyrski, J. **A790** (2007) 438c
Tatsuno, H., see Okada, S. **A790** (2007) 663c
Taurines, A., see Malheiro, M. **A790** (2007) 562c
Tchuvil'sky, Yu.M., see Gnilozub, I.A. **A790** (2007) 687c
Terashima, S., see Kawabata, T. **A790** (2007) 290c
Thøgersen, M., see Jensen, A.S. **A790** (2007) 723c
Thomas, A.W. and R.D. Young, Progress in the calculation and experimental determination of the strangeness contributions to nucleon form factors **A790** (2007) 173c
Tian, W.D., see Ma, Y.G. **A790** (2007) 299c
Timóteo, V.S., T. Frederico, A. Delfino and L. Tomio, Subtractive renormalization of the next-to-leading order NN interaction **A790** (2007) 406c
Tok, H., see Myo, T. **A790** (2007) 311c
Tomaselli, M., T. Kühl and D. Ursescu, Ab initio calculation of two, three, and four body dynamics **A790** (2007) 246c
Tomio, L., see Pereira, F.P. **A790** (2007) 610c

Tomio, L., see Timóteo, V.S. **A790** (2007) 406c
Tomio, L., see Trevisan, L.A. **A790** (2007) 522c
Tomio, L., see Yamashita, M.T. **A790** (2007) 788c
Tomiyama, M., see Sagara, K. **A790** (2007) 348c
Tomono, D., see Okada, S. **A790** (2007) 663c
Tonasse, M.D., see Montalvo, J.E.C. **A790** (2007) 554c
Tornow, W., J.H. Esterline and G.J. Weisel, Some recent few-body activities at Tunl **A790** (2007) 64c
Trevisan, L.A., C. Mirez, L. Tomio and T. Frederico, Nucleon flavor asymmetry in a statistical quark model **A790** (2007) 522c
Tsay Tzeng, S.Y., see Tzeng, Y. **A790** (2007) 683c
Tscherneck, M., see Bigelow, N.P. **A790** (2007) 762c
Tvaskis, V., see Tang, L. **A790** (2007) 679c
Tzeng, Y., S.Y. Tsay Tzeng and T.T.S. Kuo, The hypernucleus ${}^{5}_{\Lambda}$He in a two frequency model **A790** (2007) 683c

Uchida, M., see Kawabata, T. **A790** (2007) 290c
Ueda, M., see Saito, H. **A790** (2007) 737c
Uesaka, T., see Miki, K. **A790** (2007) 442c
Uesaka, T., see Sekiguchi, K. **A790** (2007) 450c
Ursescu, D., see Tomaselli, M. **A790** (2007) 246c
Uzu, E., M. Yamaguchi, H. Kamada and Y. Koike, Faddeev calculation for neutron-rich nuclei **A790** (2007) 286c
Uzu, E., see Kamada, H. **A790** (2007) 398c

Valcarce, A., see González, P. **A790** (2007) 550c
Valcarce, A., see Vijande, J. **A790** (2007) 506c
Valcarce, A., see Vijande, J. **A790** (2007) 542c
Valderrama, M.P., see Arriola, E.R. **A790** (2007) 379c
van der Knijff, D., see Canton, L. **A790** (2007) 251c
van Kolck, U., Nuclear effective field theory with pions **A790** (2007) 39c
Van Oers, W.T.H. and the Qweak Collaboration, The Qweak experiment – A search for physics and the TeV scale **A790** (2007) 81c
Vaziri, A., see Helmerson, K. **A790** (2007) 705c
Vigil, D., see Bigelow, N.P. **A790** (2007) 762c
Vijande, J., N. Barnea and A. Valcarce, Hyperspherical harmonic study of identical-flavor four-quark systems **A790** (2007) 542c
Vijande, J., A. Valcarce and F. Fernández, Multiquark structures in heavy-light meson systems **A790** (2007) 506c
Vijande, J., see González, P. **A790** (2007) 550c
Viviani, M., L. Girlanda, A. Kievsky, L.E. Marcucci and S. Rosati, Bound and scattering states with non-local potentials **A790** (2007) 46c
Vlahovic, B., see Filikhin, I. **A790** (2007) 695c
Vlahovic, B., see Suslov, V.M. **A790** (2007) 699c
Voglis, C., I.E. Lagaris, M.L. Lekala, G.J. Rampho and S.A. Sofianos, Global minimization in few-body systems **A790** (2007) 655c
Vulcan, W., see Tang, L. **A790** (2007) 679c

Wakasa, T., see Kawabata, T. **A790** (2007) 290c
Wakasa, T., see Maeda, Y. **A790** (2007) 430c
Wakasa, T., see Sekiguchi, K. **A790** (2007) 450c
Wakasa, T., see Tameshige, Y. **A790** (2007) 446c
Wang, B. and Y.-x. Liu, Baryon structure in the global color symmetry model of QCD **A790** (2007) 593c
Wang, B., see Tang, L. **A790** (2007) 679c
Wang, F., J.L. Ping, H.R. Pang and L.Z. Chen, Color confinement multi quark resonance **A790** (2007) 493c
Wang, H.W., see Ma, Y.G. **A790** (2007) 299c
Wang, K., see Ma, Y.G. **A790** (2007) 299c
Wei, Y.B., see Ma, Y.G. **A790** (2007) 299c
Weidemüller, M., see Reetz-Lamour, M. **A790** (2007) 728c
Weidemüller, M., see Salgueiro, A.N. **A790** (2007) 780c
Weisel, G.J., see Tornow, W. **A790** (2007) 64c
Wells, S., see Tang, L. **A790** (2007) 679c
Westermann, S., see Reetz-Lamour, M. **A790** (2007) 728c
Widmann, E., see Okada, S. **A790** (2007) 663c
Widmann, E., see Zmeskal, J. **A790** (2007) 667c
Winter, P., see Smyrski, J. **A790** (2007) 438c
Witała, H., see Maeda, Y. **A790** (2007) 430c
Witała, H., see Sagara, K. **A790** (2007) 348c
Witała, H., see Tameshige, Y. **A790** (2007) 446c
Wolke, M., see Smyrski, J. **A790** (2007) 438c
Wood, S., see Tang, L. **A790** (2007) 679c
Wu, K., see Menezes, D.P. **A790** (2007) 558c
Wüstner, P., see Smyrski, J. **A790** (2007) 438c

Yako, K., see Maeda, Y. **A790** (2007) 430c
Yako, K., see Mardanpour, H. **A790** (2007) 426c

Yako, K., see Miki, K. **A790** (2007) 442c
Yako, K., see Sekiguchi, K. **A790** (2007) 450c
Yamaguchi, M., see Kamada, H. **A790** (2007) 398c
Yamaguchi, M., see Uzu, E. **A790** (2007) 286c
Yamamoto, Y., see Hiyama, E. **A790** (2007) 646c
Yamashita, M.T., T. Frederico and L. Tomio, Triatomic states in ultracold gases **A790** (2007) 788c
Yamashita, M.T., see Frederico, T. **A790** (2007) 116c
Yamazaki, T., see Okada, S. **A790** (2007) 663c
Yan, C., see Tang, L. **A790** (2007) 679c
Yan, T.Z., see Ma, Y.G. **A790** (2007) 299c
Yan, Y., P. Suebka, C. Kobdaj and K. Khosonthongkee, Strong interactions in pionium **A790** (2007) 402c
Yan, Y., see Khosonthongkee, K. **A790** (2007) 518c
Yan, Z.-C., see Drake, G.W.F. **A790** (2007) 151c
Yang, S.N., G.Y. Chen and S.S. Kamalov, A meson-exchange πN model up to scattering energies $\sqrt{s} \leq 2.0$ GeV **A790** (2007) 229c
Yasuda, Y., see Kawabata, T. **A790** (2007) 290c
Yim, H., see Okada, S. **A790** (2007) 663c
Yoshida, H.P., see Kawabata, T. **A790** (2007) 290c
Yoshida, H.P., see Tameshige, Y. **A790** (2007) 446c
Yosoi, M., see Kawabata, T. **A790** (2007) 290c
Young, R.D., see Thomas, A.W. **A790** (2007) 173c
Yuan, L., see Tang, L. **A790** (2007) 679c
Yukalov, V.I., see Ramos, E.R.F. **A790** (2007) 776c

Zamkochian, S., see Tang, L. **A790** (2007) 679c
Ziegler, K., Mixtures of fermionic atoms in an optical lattice **A790** (2007) 718c
Zipper, W., see Smyrski, J. **A790** (2007) 438c
Zmeskal, J., M. Bazzi, G. Beer, L. Bombelli, A.M. Bragadirean, M. Cargnelli, M. Catitti, C. Curceanu (Petrascu), C. Fiorini, T. Frizzi, F. Ghio, B. Girolami, C. Guaraldo, M. Iliescu, C. Curceanu (Petrascu), T. Ishiwatari, P. Kienle, P. Lechner, P. Levi Sandri, V. Lucherini, A. Longoni, J. Marton, D. Pietreanu, T. Ponta, D.L. Sirghi, F. Sirghi, H. Soltau, L. Strüder and E. Widmann, Experimental studies on kaonic atoms at DAΦNE **A790** (2007) 667c
Zmeskal, J., see Okada, S. **A790** (2007) 663c
Zou, B.S., Strangeness in the proton and $N^*(1535)$ **A790** (2007) 110c
Zou, B.S., see Shen, P.N. **A790** (2007) 477c